


Sinteso™ Cerberus™ PRO

Installation housing

FDCH222



- Housing with U-rail TS35 and end brackets
- Mounting of up to three line adapters (Ex) FDCL221-Ex
- Mounting of additional devices (e.g., line separator FDCL221)


Properties

Eco-friendly

- Environmentally friendly processing
- Reusable materials

Use

FDCH222 Installation Housing



Function:

- To accommodate up to three line adapters (Ex) FDCL221-Ex and other devices on a U-rail TS35

Scope of delivery:

- Plastic housing with transparent housing cover, 1x U-rail TS35, 3x end brackets, 2x connection terminals, 2x cable grippers

Type Overview

Type	Designation	Order number	Weight [kg]
FDCH222	Installation housing	S54329-F10-A1	1.673

Accessories

-	M20 x 1.5 metal cable gland	A5Q00004478	0.036
-	M20 metal counter nut	A5Q00004479	0.006

Product documentation

Document ID	Title
008164	Equipment overview Sinteso™ Detector system FD20
A6V10225323	Equipment overview Cerberus™ PRO Detector system FD720
A6V10333771	Technical Manual Line adapter (Ex) FDCL221-Ex
A6V10397617	Installation Installation housing FDCH222

Related documents such as environmental declarations, CE declarations, etc., can be downloaded at the following Internet address:

<http://siemens.com/bt/download>

Notes

Disposal




The device is considered an electronics device for disposal in terms of European Directive 2012/19/EU and may not be disposed of as domestic garbage.

- Dispose of the device through channels provided for this purpose.
- Comply with all local and currently applicable laws and regulations.

Technical data

FDCH222	
Protection category (IEC 60529)	Max. IP66
Dimensions (W x H x D)	300 x 200 x 132 mm
Color:	
<ul style="list-style-type: none"> • Housing • Housing cover 	<p>Gray</p> <p>Transparent</p>

Dimensional drawings



Issued by
Siemens Switzerland Ltd
Building Technologies Division
International Headquarters
Gubelstrasse 22
CH-6301 Zug
Tel. +41 41-724 24 24
www.siemens.com/buildingtechnologies

© Siemens Switzerland Ltd, 2014
Technical specifications and availability subject to change without notice.